



ASW

MAGADIS


HIGH PERFORMANCE

LOUDSPEAKER

- Exclusive veneers
- Sophisticated design



The factory everything under one roof



The factory



The factory



The factory



The factory



The factory



Production of Magadis



All components from
leading manufactures



Magadis making of



Magadis making of



Magadis making of



Magadis making of



Magadis making of



Magadis making off





Painting

Bitumen to absorb vibrations




Foam damping material






Separate cabinet for network



Network with Mundorf components



Atlas cabeling

WBT next generation claims




Special port stopfen


- Woofer Scanspeak



- Midrange Thiel



- Tweeter Mundorf





Speaker on a arc of a circle

Technical details

Network:	18 / 6 dB Impedance - linearized
Woofers:	2 x 220 mm Aluminium-Cone SCAN SPEAK
Midrange:	2 x 130 mm Ceramic Cone THIEL ACCOUTON
Tweeter:	Air Motion Transformer MUNDORF
Continuous power RMS:	350 Watts
Maximum power handling:	500 Watts
Frequency range:	23 - 35 000 Hz.
Sensitivity (2,83 V/m):	92,5 dB
Cut frequency:	200 / 3200 Hz
Suitable for ampl.:	4 - 8 Ohms
Impedance:	4 Ohms
Weight:	90 kg
Cabinet	plural layered interior, strutted and interlocked cabinet Realwood finish / piano lacquered
Dimensions:	Hight: 1580 mm / Width: 330 mm / Depth: 490 mm
Utility:	Speaker Base, Spikes includ